## **EPSON Advanced Printer Driver for TM-T70II**

| Code          | Ver.5.13E  |
|---------------|--|
| Uploaded date | 2023/11/01   |
| File size     | 73,592KB   |
| Explanation   | In addition to ordinary Windows printer driver functions, this driver has controls specific to POS.  This is for English model and Traditional Chinese model.  |
|               | [Changes from Ver.5.12 to Ver.5.13] [Note] - The software license agreement has changed.   |
|               | [New support OS] - Added support for Windows 11 21H2 (64 bit) - Added Windows Server 2022  |
|               | <ul> <li>[Bug fix]</li> <li>The following bungs are fixed: <ul> <li>Fixed a bug that, when the status was checked with Status API right after printing, it returned the Power-off status.</li> <li>Fixed a bug that, at PC startup, the command responses from the printer may be processed incorrectly and therefore the printer remains unavailable.</li> <li>Fixed a bung that, when receiving response data divided from the command, the StatusAP may not notify the application correctly</li> </ul> </li></ul>  |
|               | [Support Models] - TM-T70II  |
|               | [Support OS]  - Windows 11 22H2 (64 bit)  - Windows 11 21H2 (64 bit)  - Home, Pro, Enterprise  - Windows 10 22H2 (32/64 bit)  - Windows 10 (32/64 bit)  - Windows 8 (32/64 bit)  - Windows 8 (32/64 bit)  - Windows 7 SP1 (32/64 bit)  - Windows Vista SP2 (32/64 bit)  - Windows Vista SP2 (32/64 bit)  - Windows XP SP3 (32 bit)  - Windows Server 2022  - Windows Server 2019  - Windows Server 2016  - Windows Server 2012 R2  - Windows Server 2008 R2 SP1  - Windows Server 2008 R2 SP1  - Windows Server 2008 SP2 (32/64 bit)  - Windows Server 2008 R2 SP2 (32/64 bit)  - Windows Server 2008 R2 SP2 (32/64 bit)  - Windows Embedded Standard 7 (*1)  - Windows Embedded POSReady 7  - Windows Embedded POSReady 2009  - Windows Embedded For Point of Service (*1)  - Windows Embedded Enterprise (32/64 bit) (*1)  - Windows Embedded SP2 (*1) |

driver functions, this driver has controls specific to POS.

## [Interface] - Serial - Parallel

- USB2.0/3.0 (USB3.0 is supported in the environment for Windows 8 or later) Wired/Wireless LAN
- Bluetooth

## [Development environment]

- Microsoft Visual Basic 6.0
- Microsoft Visual Basic 2005 or later
- Microsoft Visual C++ 6.0 or later
- Microsoft Visual C# 2005 or later